

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
 Trade name : Warrior Damp Block  
 Type of product : Paint  
 Product code : FAPR400  
 Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : COATING AND PAINTING

#### 1.3. Supplier's details

##### Manufacturer

Warrior Paints & Coatings  
 45 Frans du Toit Street  
 P.O. Box 911-1181  
 0200 Rosslyn, Pretoria - South Africa  
 T 12 5413596 - F +27 12 5411434  
[info@warriorpaints.co.za](mailto:info@warriorpaints.co.za) - [www.warriorpaints.co.za](http://www.warriorpaints.co.za)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Flammable liquids, Category 3 H226  
 Serious eye damage/eye irritation, Category 2B H320  
 Specific target organ toxicity — single exposure, Category 1 H370  
 Hazardous to the aquatic environment — Acute Hazard, Category 3 H402  
 Full text of H statements : see section 16

#### 2.2. Label elements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS-ZA) :



GHS02

GHS08

Signal word (GHS-ZA) : Danger  
 Hazardous ingredients : Heavy Aromatic Petroleum Solvent  
 Hazard statements (GHS-ZA) : H226 - Flammable liquid and vapour.  
 H320 - Causes eye irritation  
 H370 - Causes damage to organs.  
 H402 - Harmful to aquatic life  
 Precautionary statements (GHS-ZA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 - Keep container tightly closed.  
 P240 - Ground and bond container and receiving equipment.  
 P241 - Use explosion-proof equipment.  
 P242 - Use non-sparking tools.  
 P243 - Take action to prevent static discharges.  
 P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
 P264 - Wash hands, forearms and face thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P273 - Avoid release to the environment.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

# Warrior Damp Block

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

contact lenses, if present and easy to do. Continue rinsing.  
P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Flammable liquid and vapour, Causes damage to organs, Harmful to aquatic life

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                              | Product identifier   | %              | Classification according to the United Nations GHS   |
|-----------------------------------|----------------------|----------------|--|
| Medium Aliphatic Petroleum Spirit | (CAS-No.) 64742-88-7 | 11.02 - 17.032 | Flam. Liq. 3, H226<br>Acute Tox. 5 (Oral), H303<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. Not classified (Inhalation:dust,mist)<br>STOT SE 2, H371<br>Aquatic Acute 2, H401 |
| Light aromatic petroleum solvent  | (CAS-No.) 64742-95-6 | 6.65 - 9.9     | Flam. Liq. 3, H226<br>Aquatic Acute 2, H401  |
| Heavy Aromatic Petroleum Solvent  | (CAS-No.) 64742-95-5 | 2.19 - 5.26    | Flam. Liq. 3, H226<br>Acute Tox. 4 (Dermal), H312<br>STOT SE 1, H370<br>Aquatic Chronic Not classified   |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : mild eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.  
Unsuitable extinguishing media : Water.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it. Avoid contact with skin and eyes. No open flames. No smoking. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. May be harmful to aquatic organisms, to flora, to soil organisms.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

# Warrior Damp Block

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.  
Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves  
Eye protection : Safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

**Personal protective equipment symbol(s):**



### 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Liquid.  
Colour : No data available  
Odour : aromatic.  
Odour threshold : No data available  
pH : No data available  
pH solution : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Relative evaporation rate (ether=1) : No data available  
Melting point : Not applicable  
Freezing point : No data available

# Warrior Damp Block

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

|   |                     |
|---|---------------------|
| Boiling point                                 | : No data available |
| Flash point                                   | : > 35 °C           |
| Auto-ignition temperature                     | : No data available |
| Decomposition temperature                     | : No data available |
| Flammability (solid, gas)                     | : Not applicable    |
| Vapour pressure                               | : No data available |
| Vapour pressure at 50 °C                      | : No data available |
| Relative vapour density at 20 °C              | : No data available |
| Relative density                              | : No data available |
| Relative density of saturated gas/air mixture | : No data available |
| Density                                       | : 1.4 - 1.5         |
| Relative gas density                          | : No data available |
| Solubility                                    | : No data available |
| Log Pow                                       | : No data available |
| Log Kow                                       | : No data available |
| Viscosity, kinematic                          | : No data available |
| Viscosity, dynamic                            | : No data available |
| Explosive properties                          | : No data available |
| Oxidising properties                          | : No data available |
| Explosive limits                              | : No data available |
| Lower explosive limit (LEL)                   | : No data available |
| Upper explosive limit (UEL)                   | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Medium Aliphatic Petroleum Spirit (64742-88-7) |                     |
|--|---------------------|
| LD50 oral rat                                  | 5000 mg/kg          |
| LD50 dermal rabbit                             | 2000 mg/kg          |
| LC50 inhalation rat (mg/l)                     | 5.28 mg/l/4h        |
| Heavy Aromatic Petroleum Solvent (64742-95-5)  |                     |
| LD50 oral rat                                  | 512 - 6631 mg/kg    |
| LD50 dermal rat                                | 2000 mg/kg          |
| LD50 dermal rabbit                             | 5000 ml/kg          |
| LC50 inhalation rat (ppm)                      | 5922 - 6700 ppmv/4h |

|                                   |                          |
|-----------------------------------|--------------------------|
| Skin corrosion/irritation         | : Not classified         |
| Serious eye damage/irritation     | : Causes eye irritation. |
| Respiratory or skin sensitisation | : Not classified         |

# Warrior Damp Block

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

|                        |                            |
|------------------------|----------------------------|
| Germ cell mutagenicity | : Not classified           |
| Carcinogenicity        | : Not classified           |
| Reproductive toxicity  | : Not classified           |
| STOT-single exposure   | : Causes damage to organs. |

| Medium Aliphatic Petroleum Spirit (64742-88-7) |                      |
|--|----------------------|
| NOAEL (oral, rat)                              | 750 mg/kg bodyweight |
| NOAEC (inhalation, rat, vapour)                | 24                   |

| Heavy Aromatic Petroleum Solvent (64742-95-5) |                            |
|---|----------------------------|
| LOAEL (oral, rat)                             | 25 - 1250 mg/kg bodyweight |
| LOAEL (dermal, rat/rabbit)                    | 165 mg/kg bodyweight       |
| NOAEL (oral, rat)                             | 4 - 750 mg/kg bodyweight   |
| NOAEL (dermal, rat/rabbit)                    | 495 mg/kg bodyweight       |

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

|                          |                            |
|--------------------------|----------------------------|
| Ecology - general        | : Harmful to aquatic life. |
| Acute aquatic toxicity   | : Harmful to aquatic life. |
| Chronic aquatic toxicity | : Not classified           |

| Medium Aliphatic Petroleum Spirit (64742-88-7) |          |
|--|----------|
| LC50 fish 1                                    | 8.1 mg/l |
| EC50 Daphnia 1                                 | 6 mg/l   |
| ErC50 (algae)                                  | 9.4 mg/l |

| Heavy Aromatic Petroleum Solvent (64742-95-5) |                  |
|---|------------------|
| LC50 fish 1                                   | 0.58 - 8.41 mg/l |
| EC50 Daphnia 1                                | 760 - 4700 µg/l  |
| NOEC chronic fish                             | 5.6 mg/l         |

| Light aromatic petroleum solvent (64742-95-6) |          |
|---|----------|
| LC50 fish 1                                   | 100 mg/l |
| EC50 Daphnia 1                                | 4.5 mg/l |
| ErC50 (algae)                                 | 3.7 mg/l |

### 12.2. Persistence and degradability

| Warrior Damp Block            |                                     |
|-------------------------------|-------------------------------------|
| Persistence and degradability | No additional information available |

### 12.3. Bioaccumulative potential

| Warrior Damp Block        |                                     |
|---------------------------|-------------------------------------|
| Bioaccumulative potential | No additional information available |

### 12.4. Mobility in soil

| Warrior Damp Block |                                     |
|--------------------|-------------------------------------|
| Mobility in soil   | No additional information available |

### 12.5. Other adverse effects

|                       |                                       |
|-----------------------|---------------------------------------|
| Ozone                 | : Not classified                      |
| Other adverse effects | : No additional information available |

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

|                         |   |
|-------------------------|---|
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information  | : Flammable vapours may accumulate in the container.  |




## SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

# Warrior Damp Block

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

| SANS   | IMDG  | IATA  |
|--|---|---|
| <b>14.1. UN number</b>   |   |   |
| 1263   | 1263  | 1263  |
| <b>14.2. Proper Shipping Name</b>  |   |   |
| Paint  | Paint   | Paint   |
| <b>14.3. Transport hazard class(es)</b>  |   |   |
| 3  | 3   | 3   |
|  |  | <br>Not applicable |
| <b>14.4. Packing group</b>   |   |   |
| III  | III   | III   |
| <b>14.5. Environmental hazards</b>   |   |   |
| Dangerous for the environment : No   | Dangerous for the environment : No<br>:   | Dangerous for the environment : No  |
| No supplementary information available   |   |   |

### 14.6. Special precautions for user

#### - SANS

No data available

#### - IMDG

No data available

#### - IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

## SECTION 16: Other information

Date of issue : 26/04/2021

Full text of H-statements:

|      |                               |
|------|-------------------------------|
| H226 | Flammable liquid and vapour.  |
| H303 | May be harmful if swallowed   |
| H312 | Harmful in contact with skin. |
| H320 | Causes eye irritation         |
| H370 | Causes damage to organs.      |
| H371 | May cause damage to organs.   |
| H401 | Toxic to aquatic life         |
| H402 | Harmful to aquatic life       |

SDS South Africa

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*