

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

Date of issue:05/05/2021 Revision date:

Date of issue:05/05/2021 Revision date: : Version: 1.0

## **SECTION 1: Identification**

## 1.1. Product identifier

Product form : Mixture

Trade name : Warrior Eggshell Enamel

Type of product : Paint

Product code : FER300

Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : COATING AND PAINTING

## 1.3. Supplier's details

#### Manufacturer

Warrior Paints & Coatings 45 Frans du Toit Street P.O. Box 911-1181 0200 Rosslyn, Pretoria - South Africa T 12 5413596 - F +27 12 5411434

info@warriorpaints.co.za - www.warriorpaints.co.za

## 1.4. Emergency telephone number

No additional information available

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to the United Nations GHS

Flammable liquids, Category H226

3

Serious eye damage/eye H320

irritation, Category 2B

Specific target organ toxicity H370

single exposure,

Category 1

Hazardous to the aquatic H402

environment — Acute Hazard, Category 3

Full text of H statements : see section 16

## 2.2. Label elements

## **Labelling according to the United Nations GHS**

Hazard pictograms (GHS-ZA)





GHS02

2 GHS08

Signal word (GHS-ZA) : Danger

Hazardous ingredients : Heavy Aromatic Petroleum Solvent

Hazard statements (GHS-ZA) : H226 - Flammable liquid and vapour.

H320 - Causes eye irritation

H370 - Causes damage to organs.

H370 - Causes damage to organs H402 - Harmful to aquatic life

Precautionary statements (GHS-ZA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

05/05/2021 EN (English) 1/7

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

contact lenses, if present and easy to do. Continue rinsing. P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor.

P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Flammable liquid and vapour, Causes damage to organs, Harmful to aquatic life

## **SECTION 3: Composition/information on ingredients**

#### **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	Classification according to the United Nations GHS
Medium Aliphatic Petroleum Spirit	(CAS-No.) 64742-88-7	21.75 - 33.3	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Acute Tox. 4 (Dermal), H312 Acute Tox. Not classified (Inhalation:dust,mist) STOT SE 2, H371 Aquatic Acute 2, H401
Heavy Aromatic Petroleum Solvent	(CAS-No.) 64742-95-5	4.65 - 9.25	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 STOT SE 1, H370 Aquatic Chronic Not classified
Xylene	(CAS-No.) 1330-20-7	1.2 - 2.5	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Aquatic Acute 1, H400
Driers		0.2 - 0.6	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302
Methyl ethyl ketoxime		0.1 - 0.4	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. 4 (Dermal), H312 Aquatic Acute 3, H402

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. **Description of first aid measures**

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Call a poison center or a doctor if you feel unwell. First-aid measures after ingestion

## Most important symptoms and effects, both acute and delayed

: mild eye irritation. Symptoms/effects after eye contact

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

## **Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

Unsuitable extinguishing media : Water.

## Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

## Advice for firefighters

Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

05/05/2021 EN (English) 2/7

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures

Clean up any spills as soon as possible, using an absorbent material to collect it. Avoid contact with skin and eyes. No open flames. No smoking. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. May be harmful to aquatic organisms, to flora, to soil organisms.

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information

: Dispose of materials or solid residues at an authorized site.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof

equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

No additional information available

## 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

## Personal protective equipment symbol(s):









## 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.

Colour : No data available

05/05/2021 EN (English) 3/7

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

: aromatic. Odour Odour threshold : No data available рΗ : No data available pH solution No data available Relative evaporation rate (butylacetate=1) No data available Relative evaporation rate (ether=1) : No data available : Not applicable Melting point Freezing point No data available Boiling point No data available

Flash point : > 35 °C

: No data available Auto-ignition temperature : No data available Decomposition temperature Not applicable Flammability (solid, gas) Vapour pressure : No data available Vapour pressure at 50 °C : No data available Relative vapour density at 20 °C : No data available Relative density : No data available : No data available Relative density of saturated gas/air mixture

Density : 1.1 - 1.3

Relative gas density : No data available Solubility No data available Log Pow No data available Log Kow : No data available : No data available Viscosity, kinematic Viscosity, dynamic · No data available Explosive properties No data available : No data available Oxidising properties : No data available **Explosive limits** Lower explosive limit (LEL) : No data available Upper explosive limit (UEL) : No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable liquid and vapour.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Methyl ethyl ketoxime	
LD50 oral rat	2.5 - 4 ml/kg
LD50 dermal rat	1 - 2 ml/kg

05/05/2021 EN (English) 4/7

# Warrior Eggshell Enamel Safety Data Sheet

Xylene (1330-20-7)

**Driers** LD50 oral rat

According to SANS 10234:2008 and SANS 11014:2010

LISBO carl ration	Aylene (1000 20 1)		
Medium Aliphatic Petroleum Spirit (64742-88-7)	LD50 oral rat	3608 mg/kg	
Medium Aliphatic Petroleum Spirit (64742-88-7)   LDS0 and trail   LDS0 demail rabbit   2000 mg/kg   LDS0 demail rabbit   2000 mg/kg   LDS0 demail rabbit   2000 mg/kg   LDS0 demail rabbit   LDS0 demail rabbit   512 - 6631 mg/kg   LDS0 crail rat   LDS0 demail rabbit   5000 mg/kg   5000 mg/k			
LD50 orar lat	LC50 inhalation rat (ppm)	4330 ppm/4h	
LDSG dermal rabbit	Medium Aliphatic Petroleum Spirit (64742-88-7)		
LCS0 inhalation rat (mgi)   5.28 mgi/4h	LD50 oral rat	5000 mg/kg	
Heavy Aromatic Petroleum Solvent (64742-95-5)	LD50 dermal rabbit	2000 mg/kg	
LDS0 darmal rat	LC50 inhalation rat (mg/l)	5.28 mg/l/4h	
LDS0 darmal rat	Heavy Aromatic Petroleum Solvent (6474)	2-95-5)	
LDS0 dermal rat	-	· ·	
D50 dermal rabbit	LD50 dermal rat		
Section   Sect	LD50 dermal rabbit		
Skin corrosion/firitation : Not classified Serious eye damage/irritation : Causes eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Causes damage to organs.  Medium Aliphatic Petroleum Spirit (64742-88-7) NOAEL (oral, rat) : 750 mg/kg bodyweight NOAEC (inhalation, rat, vapour) : 24  Heavy Aromatic Petroleum Solvent (64742-95-5) LOAEL (oral, rat) : 25 - 1250 mg/kg bodyweight LOAEL (dermal, rat/rabbit) : 165 mg/kg bodyweight NOAEL (oral, rat) : 4 - 750 mg/kg bodyweight NOAEL (dermal, rat/rabbit) : 495 mg/kg bodyweight NOAEL (dermal, rat/rabbit) : 495 mg/kg bodyweight STOT-repeated exposure : Not classified  SECTION 12: Ecological information  12.1 Toxicity Ecology - general : Harmful to aquatic life. Acute aquatic toxicity : Harmful to aquatic life. Chronic aquatic toxicity : Harmful to aquatic life. Cronic aquatic toxicity : Harmful to aquatic life. CSO 72h algae (1) : 33 mg/l  ECSO 12h algae (1) : 33 mg/l  ECSO 12h algae (1) : 33 mg/l  ECSO 12h algae (1) : 46 mg/l  ECSO 12h algae (1) : 5 mg/l  ECSO 12h algae (1) : 47 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7) LCSO fish 1 : 15.1 (2.6 - 8.4) mg/l  ECSO 12h algae (1) : 4.7 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7) LCSO fish 1 : 8.1 mg/l  ECSO 12h apina 1 : 9.4 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7)  LCSO fish 1 : 8.1 mg/l  ECSO 12h apina 1 : 0.58 -8.41 mg/l	LC50 inhalation rat (ppm)		
Serious eye damage/irritation : Causes eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Causes damage to organs.    Modium Aliphatic Petroleum Spirit (64742-88-7)   T50 mg/ls bodyweight   NOAEC (inhalation, rat, vapour)   24   Petroleum Spirit (64742-98-5)     LOAEL (oral, rat)   750 mg/ls bodyweight   NOAEC (inhalation, rat, vapour)   24   Petroleum Solvent (64742-98-5)     LOAEL (dermal, rat/rabbit)   185 mg/ls bodyweight   NOAEC (inhalation, rat, vapour)   4750 mg/ls bodyweight   NOAEL (dermal, rat/rabbit)   4750 mg/ls bodyweight   NOAEL (dermal, rat/rabbit)   495 mg/ls bodyweight     NOAEL (dermal, rat/rabbit)   495 mg/ls bodyweight   NOAEL (dermal, rat/rabbit)   495 mg/ls bodyweight     STOT-repeated exposure   Not classified	,		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Causes damage to organs.    Medium Aliphatic Petroleum Spirit (64742-887)     NOAEL (oral, rat)   750 mg/kg bodyweight     NOAEC (inhalation, rat, vapour)   24     Heavy Aromatic Petroleum Solvent (64742-95-5)     LOAEL (oral, rat)   25 - 1250 mg/kg bodyweight     LOAEL (dermal, rat/rabbit)   165 mg/kg bodyweight     LOAEL (aral, rat)   4 - 750 mg/kg bodyweight     NOAEL (dermal, rat/rabbit)   495 mg/kg bodyweight     NOAEL (oral, rat)   4 - 750 mg/kg bodyweight     NOAEL (oral, rat)   4 - 750 mg/kg bodyweight     NOAEL (oral, rat)   4 - 750 mg/kg bodyweight     STOT-repeated exposure : Not classified     Aspiration hazard : Not classified     Aspiration hazard : Not classified	Skin corrosion/irritation	: Not classified	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Causes damage to organs.    Medium Aliphatic Petroleum Spirit (64742-88-7)   NOAEL (oral, rat)   750 mg/kg bodyweight	Serious eye damage/irritation	: Causes eye irritation.	
Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Causes damage to organs.  Medium Aliphatic Petroleum Spirit (64742-88-7)  NOAEL (oral, rat) 750 mg/kg bodyweight  NOAEC (inhalation, rat, vapour) 24  Heavy Aromatic Petroleum Solvent (64742-95-5)  LOAEL (oral, rat) 25 - 1250 mg/kg bodyweight  LOAEL (dermal, rat/rabbit) 155 mg/kg bodyweight  LOAEL (dermal, rat/rabbit) 495 mg/kg bodyweight  NOAEL (dermal, rat/rabbit) 495 mg/kg bodyweight  NOAEL (dermal, rat/rabbit) 495 mg/kg bodyweight  STOT-repeated exposure : Not classified  SECTION 12: Ecological information  12.1 Toxicity  Ecology - general : Harmful to aquatic life.  Acute aquatic toxicity : Harmful to aquatic life.  Chronic aquatic toxicity : Not classified  Methyl ethyl ketoxime  LC50 fish 1 46 mg/l  EC50 Daphnia 1 750 mg/l  EC50 T2h algae (1) 83 mg/l  Xylene (1330-20-7)  LC50 fish 1 16.1 (2.6 - 8.4) mg/l  EC50 Daphnia 1 5 mg/l  EC50 T2h algae (1) 4.7 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7)  LC50 fish 1 8.1 mg/l  EC50 Caphnia 1 8.1 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 8.3 mg/l	Respiratory or skin sensitisation	: Not classified	
Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Causes damage to organs.  Medium Aliphatic Petroleum Spirit (64742-88-7)  NOAEL (oral, rat) 750 mg/kg bodyweight  NOAEC (inhalation, rat, vapour) 24  Heavy Aromatic Petroleum Solvent (64742-95-5)  LOAEL (oral, rat) 25 - 1250 mg/kg bodyweight  LOAEL (dermal, rat/rabbit) 155 mg/kg bodyweight  LOAEL (dermal, rat/rabbit) 495 mg/kg bodyweight  NOAEL (dermal, rat/rabbit) 495 mg/kg bodyweight  NOAEL (dermal, rat/rabbit) 495 mg/kg bodyweight  STOT-repeated exposure : Not classified  SECTION 12: Ecological information  12.1 Toxicity  Ecology - general : Harmful to aquatic life.  Acute aquatic toxicity : Harmful to aquatic life.  Chronic aquatic toxicity : Not classified  Methyl ethyl ketoxime  LC50 fish 1 46 mg/l  EC50 Daphnia 1 750 mg/l  EC50 T2h algae (1) 83 mg/l  Xylene (1330-20-7)  LC50 fish 1 16.1 (2.6 - 8.4) mg/l  EC50 Daphnia 1 5 mg/l  EC50 T2h algae (1) 4.7 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7)  LC50 fish 1 8.1 mg/l  EC50 Caphnia 1 8.1 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 8.1 mg/l  EC50 Daphnia 1 8.3 mg/l	Germ cell mutagenicity	: Not classified	
Reproductive toxicity : Not classified STOT-single exposure : Causes damage to organs.    Modium Aliphatic Petroleum Spirit (64742-88-7)	Carcinogenicity	: Not classified	
Modium Aliphatic Petroleum Spirit (64742-88-7)   750 mg/kg bodyweight	Papraductiva toxicity	· Not classified	
Medium Aliphatic Petroleum Spirit (64742-88-7)   NOAEL (oral, rat)   750 mg/kg bodyweight     NOAEC (inhalation, rat, vapour)   24     Heavy Aromatic Petroleum Solvent (64742-95-5)   LOAEL (oral, rat)   25 - 1250 mg/kg bodyweight     LOAEL (dermal, rat/rabbit)   165 mg/kg bodyweight     NOAEL (dermal, rat/rabbit)   165 mg/kg bodyweight     NOAEL (dermal, rat/rabbit)   445 mg/kg bodyweight     STOT-repeated exposure   Not classified     SECTION 12: Ecological information     12.1			
NOAEL (oral, rat)	5101-single exposure	. Causes damage to organs.	
NOAEC (inhalation, rat, vapour)   24		· ·	
Heavy Aromatic Petroleum Solvent (64742-95-5)   LOAEL (oral, rat)	, ,	750 mg/kg bodyweight	
LOAEL (drail, rat)   25 - 1250 mg/kg bodyweight	NOAEC (inhalation, rat, vapour)	24	
LOAEL (dermal, rat/rabbit)	Heavy Aromatic Petroleum Solvent (6474)	2-95-5)	
NOAEL (oral, rat)	LOAEL (oral, rat)	25 - 1250 mg/kg bodyweight	
NOAEL (dermal, rat/rabbit)	LOAEL (dermal, rat/rabbit)	165 mg/kg bodyweight	
STOT-repeated exposure   Not classified	NOAEL (oral, rat)	4 - 750 mg/kg bodyweight	
SECTION 12: Ecological information	NOAEL (dermal, rat/rabbit)	495 mg/kg bodyweight	
SECTION 12: Ecological information	STOT-repeated exposure	: Not classified	
SECTION 12: Ecological information	Aspiration hazard	: Not classified	
12.1. Toxicity       Ecology - general       : Harmful to aquatic life.         Acute aquatic toxicity       : Harmful to aquatic life.         Chronic aquatic toxicity       : Not classified         Methyl ethyl ketoxime         LC50 fish 1       46 mg/l         EC50 Daphnia 1       750 mg/l         EC50 72h algae (1)       83 mg/l         Xylene (1330-20-7)         LC50 fish 1       16.1 (2.6 - 8.4) mg/l         EC50 Daphnia 1       5 mg/l         EC50 other aquatic organisms 1       1 mg/l         EC50 72h algae (1)       4.7 mg/l         Medium Aliphatic Petroleum Spirit (64742-88-7)         LC50 fish 1       8.1 mg/l         EC50 Daphnia 1       6 mg/l         EC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l	•		
12.1. Toxicity       Ecology - general       : Harmful to aquatic life.         Acute aquatic toxicity       : Harmful to aquatic life.         Chronic aquatic toxicity       : Not classified         Methyl ethyl ketoxime         LC50 fish 1       46 mg/l         EC50 Daphnia 1       750 mg/l         EC50 72h algae (1)       83 mg/l         Xylene (1330-20-7)         LC50 fish 1       16.1 (2.6 - 8.4) mg/l         EC50 Daphnia 1       5 mg/l         EC50 other aquatic organisms 1       1 mg/l         EC50 72h algae (1)       4.7 mg/l         Medium Aliphatic Petroleum Spirit (64742-88-7)         LC50 fish 1       8.1 mg/l         EC50 Daphnia 1       6 mg/l         EC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l	SECTION 42: Ecological information		
Ecology - general   : Harmful to aquatic life.	<u> </u>		
Acute aquatic toxicity : Harmful to aquatic life.  Chronic aquatic toxicity : Not classified    Methyl ethyl ketoxime	•		
Methyl ethyl ketoxime           LC50 fish 1         46 mg/l           EC50 Daphnia 1         750 mg/l           EC50 72h algae (1)         83 mg/l           Xylene (1330-20-7)           LC50 fish 1         16.1 (2.6 - 8.4) mg/l           EC50 Daphnia 1         5 mg/l           EC50 other aquatic organisms 1         1 mg/l           EC50 72h algae (1)         4.7 mg/l           Medium Aliphatic Petroleum Spirit (64742-88-7)           LC50 fish 1         8.1 mg/l           EC50 Daphnia 1         6 mg/l           ErC50 (algae)         9.4 mg/l           Heavy Aromatic Petroleum Solvent (64742-95-5)           LC50 fish 1         0.58 - 8.41 mg/l		·	
Methyl ketoxime           LC50 fish 1         46 mg/l           EC50 Daphnia 1         750 mg/l           EC50 72h algae (1)         83 mg/l           Xylene (1330-20-7)           LC50 fish 1         16.1 (2.6 - 8.4) mg/l           EC50 Daphnia 1         5 mg/l           EC50 other aquatic organisms 1         1 mg/l           EC50 72h algae (1)         4.7 mg/l           Medium Aliphatic Petroleum Spirit (64742-88-7)           LC50 fish 1         8.1 mg/l           EC50 Daphnia 1         6 mg/l           ErC50 (algae)         9.4 mg/l           Heavy Aromatic Petroleum Solvent (64742-95-5)           LC50 fish 1         0.58 - 8.41 mg/l	•	·	
LC50 fish 1	Chronic aquatic toxicity	: Not classified	
EC50 Daphnia 1 750 mg/l  EC50 72h algae (1) 83 mg/l   Xylene (1330-20-7)  LC50 fish 1 16.1 (2.6 - 8.4) mg/l  EC50 Daphnia 1 5 mg/l  EC50 other aquatic organisms 1 1 mg/l  EC50 72h algae (1) 4.7 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7)  LC50 fish 1 8.1 mg/l  EC50 Daphnia 1 6 mg/l  EC50 Daphnia 1 9.4 mg/l  Heavy Aromatic Petroleum Solvent (64742-95-5)  LC50 fish 1 0.58 - 8.41 mg/l	Methyl ethyl ketoxime		
Stylene (1330-20-7)   LC50 fish 1	LC50 fish 1	46 mg/l	
Xylene (1330-20-7)   LC50 fish 1	EC50 Daphnia 1	750 mg/l	
LC50 fish 1       16.1 (2.6 - 8.4) mg/l         EC50 Daphnia 1       5 mg/l         EC50 other aquatic organisms 1       1 mg/l         EC50 72h algae (1)       4.7 mg/l         Medium Aliphatic Petroleum Spirit (64742-88-7)         LC50 fish 1       8.1 mg/l         EC50 Daphnia 1       6 mg/l         ErC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l	EC50 72h algae (1)	83 mg/l	
LC50 fish 1       16.1 (2.6 - 8.4) mg/l         EC50 Daphnia 1       5 mg/l         EC50 other aquatic organisms 1       1 mg/l         EC50 72h algae (1)       4.7 mg/l         Medium Aliphatic Petroleum Spirit (64742-88-7)         LC50 fish 1       8.1 mg/l         EC50 Daphnia 1       6 mg/l         ErC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l	Xylene (1330-20-7)		
EC50 Daphnia 1 5 mg/l  EC50 other aquatic organisms 1 1 mg/l  EC50 72h algae (1) 4.7 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7)  LC50 fish 1 8.1 mg/l  EC50 Daphnia 1 6 mg/l  ErC50 (algae) 9.4 mg/l  Heavy Aromatic Petroleum Solvent (64742-95-5)  LC50 fish 1 0.58 - 8.41 mg/l		16.1 (2.6 - 8.4) mg/l	
EC50 other aquatic organisms 1 1 mg/l EC50 72h algae (1) 4.7 mg/l  Medium Aliphatic Petroleum Spirit (64742-88-7) LC50 fish 1 8.1 mg/l EC50 Daphnia 1 6 mg/l ErC50 (algae) 9.4 mg/l  Heavy Aromatic Petroleum Solvent (64742-95-5) LC50 fish 1 0.58 - 8.41 mg/l			
EC50 72h algae (1)       4.7 mg/l         Medium Aliphatic Petroleum Spirit (64742-88-7)         LC50 fish 1       8.1 mg/l         EC50 Daphnia 1       6 mg/l         ErC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l	· · · · · · · · · · · · · · · · · · ·	1 mg/l	
LC50 fish 1       8.1 mg/l         EC50 Daphnia 1       6 mg/l         ErC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l			
LC50 fish 1       8.1 mg/l         EC50 Daphnia 1       6 mg/l         ErC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l			
EC50 Daphnia 1       6 mg/l         ErC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l		·	
ErC50 (algae)       9.4 mg/l         Heavy Aromatic Petroleum Solvent (64742-95-5)         LC50 fish 1       0.58 - 8.41 mg/l		·	
Heavy Aromatic Petroleum Solvent (64742-95-5)           LC50 fish 1         0.58 - 8.41 mg/l	· · · · · · · · · · · · · · · · · · ·	-	
LC50 fish 1 0.58 - 8.41 mg/l			
	•		
2000 Βαριπια 1			
	2000 Baprina 1		

1400 mg/kg

05/05/2021 EN (English) 5/7

## Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

Heavy Aromatic Petroleum Solvent (64742-95-5)		
NOEC chronic fish 5.6 mg/l		
12.2. Persistence and degradability		
Warrior Eggshell Enamel		
Persistence and degradability  No additional information available		
12.3. Bioaccumulative potential		
Warrior Eggshell Enamel		
Bioaccumulative potential	No additional information available	
12.4. Mobility in soil		
Warrior Eggshell Enamel		
Mobility in soil	No additional information available	
12.5. Other adverse effects		

: Not classified Ozone

Other adverse effects : No additional information available

## **SECTION 13: Disposal considerations**

## **Disposal methods**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

## **SECTION 14: Transport information**

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA	
14.1. UN number			
1263	1263	1263	
14.2. Proper Shipping Name			
Paint	Paint	Paint	
14.3. Transport hazard class(es)	3. Transport hazard class(es)		
3	3	3	
3	3	Not applicable	
14.4. Packing group			
III	III	III	
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No :	Dangerous for the environment : No	
No supplementary information available			

#### 14.6. Special precautions for user

## - SANS

No data available

## - IMDG

No data available

## - IATA

No data available

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

Safety, health, and environmental national regulations specific for the product

No additional information available

## **SECTION 16: Other information**

: 05/05/2021 Date of issue

05/05/2021 EN (English) 6/7

# Warrior Eggshell Enamel Safety Data Sheet

According to SANS 10234:2008 and SANS 11014:2010

## Full text of H-statements:

H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H312	Harmful in contact with skin.
H320	Causes eye irritation
H370	Causes damage to organs.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life

## SDS South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/05/2021 EN (English) 7/7